



! ǻŲ ŐZŲLJŲŜăăZŲ øŜōǻúŜŲ ø ø øøŜÊúKǻŲøŲZŲ



A red UL 1000 fire pump unit is shown in the foreground, mounted on a platform. The unit features a red control cabinet with a digital display and various gauges. The background shows a city skyline with the Willis Tower prominently visible.

Pumping Water Pumping Honor

H&T is a leading global supplier of reliable products and innovative pumping solution for end users, and is active over 60 locations worldwide. We offer dense hydraulic coverage to meet your process needs. Better hydraulic fits can mean improved efficiency and longtime reliability and parts life.

No matter what type of fluid you need to move, chances are that H&T pumps have a pump for your job. All of our pumps have three superior design characteristics: Design, Performance and Durability. Our engineering department, which includes an in-house pattern shop, design each pump to be easy to install and easy to maintain. Our performances are engineered to meet or beat the competition in each category.

For more than 30 years, we have provided very cost effective solutions by building our pumps to last. Durability by design is always the most cost effective solution.

From engineering and design to final assembly, each step of the manufacturing process is controlled by experienced people and state of the art equipment. Quality inspections are performed at every step of the manufacturing process. Pump testing is done in our test facility consisting of a 8000 m³ test pit and capable of testing up to 5000Kw. All of these factors ensure you receive consistent quality every time.

We are experts in packing engineered pumps that meet your demanding applications.



H&T Hamxon End suction fire pump is the perfect solution for small capacity fire applications. Back pull-out design end suction fire pump, allows the complete rotating element to be removed for servicing without disconnecting pipe work. If a spacer coupling is fitted then driver does not have to be moved too. Simplicity of design ensures long efficient unit life, reduced maintenance costs and minimum power consumption.

Application

End suction pumps are specifically designed and tested for fire service application around the world including:


- Office buildings
- Hospitals
- Airports
- Manufacturing facilities
- Warehouses
- Power stations
- Schools/colleges
- Hotels



Materials of Construction


To meet the rugged demands of fire protection in industrial and special environments, Hamxon end suction pumps are available in:

- Cast Iron Bronze-fitted
- 316 Stainless Steel Wet Parts
- Duplex 2205 Stainless Steel Wet Parts




Performance Range


Hamxon end suction pumps are available for ranging from 100 USgpm to 750 USgpm and are suitable for electric or diesel drivers. The table below demonstrates how the ranges of end suction pumps are designed to meet most normal requirements.



If required capacity and head unlisted in the above table ,pls contact NM FIRE.

The protection of life and property is not a matter for compromise. H&T HM Fire offers package systems that meet every life protection need.





Address: NO.566, TongLi road, jiuting, songjiang district, ShangHai, China.

Tel.+1-802-4388806.

Email: sales@hamxon.com

Fire pump webiste: www.hamxon.com

centrifugal pump website: www.hanthing.com

Air compressor webiste: www.exthin.com

All rights reserved.



Split-Case Fire Pump Systems



Pumping Water Pumping Honor

H&T is a leading global supplier of reliable products and innovative pumping solution for end users, and is active over 60 locations worldwide. We offer dense hydraulic coverage to meet your process needs. Better hydraulic fits can mean improved efficiency and longtime reliability and parts life.

No matter what type of fluid you need to move, chances are that H&T pumps have a pump for your job. All of our pumps have three superior design characteristics: Design, Performance and Durability. Our engineering department, which includes an in-house pattern shop, design each pump to be easy to install and easy to maintain. Our performances are engineered to meet or beat the competition in each category.

For more than 30 years, we have provided very cost effective solutions by building our pumps to last. Durability by design is always the most cost effective solution.

From engineering and design to final assembly, each step of the manufacturing process is controlled by experienced people and state of the art equipment. Quality inspections are performed at every step of the manufacturing process. Pump testing is done in our test facility consisting of a 8000 m³ test pit and capable of testing up to 5000Kw. All of these factors ensure you receive consistent quality every time.

We are experts in packing engineered pumps that meet your demanding applications.





Precision balancing of all factors in the design of H&T Hamxon horizontal split case fire pumps provides mechanical dependability, efficient operation and minimal maintenance. Simplicity of design ensures long efficient unit life, reduced maintenance costs and minimum power consumption.

Application

Split case pumps are specifically designed and tested for fire service application around the world including:

- Office buildings
- Hospitals
- Airports
- Manufacturing facilities
- Warehouses
- Power stations
- Oil and gas industry
- Schools/colleges
- Hotels



Materials of Construction


To meet the rugged demands of fire protection in industrial and offshore environments, Hamxon split case pumps are available in:

- Ductile Cast Iron Casing With 304SS Impeller
- 304 or 316 Stainless Steel Wet Parts
- Duplex 2205 Stainless Steel Wet Parts



Performance Range

Hamxon split case fire pumps are available for ranging from 500 USgpm to 4000 USgpm and are suitable for electric or diesel drivers. The table below demonstrates how the ranges of split case pumps are designed to meet most normal requirements.




Fully-assembled package solution

With years of experience in fire protection industry, Hamxon can supply fire pump systems with all necessary accessories ready for site installation.

Advantages:

- Simplifies piping design
- Single source unit responsibility
- A complete package that will meet NFPA20 requirements
- Packaged systems are performance and hydrostatically factory tested at an ISO9001 certified manufacturing facility prior to shipment.
- No material lost due to on-site material handling
- Improves the speed of construction and reduces on-site installation time
- Only external suction, discharge and power connection are required on-site
- State of the art engineering design

The full range of NM FIRE solutions available includes Horizontal Split Case, End Suction, Vertical In-Line and Vertical Turbine Pumps. Single Electric, Single Diesel, 1 Electric and 1 Diesel, 2 Electric, 2 Diesel configurations are available.



1	OS&Y Gate Valve (Suction Control Valve)	16	Instrument panel
2	Relief Cone	17	Cooling
3	Relief Valve	18	Batteries
4	Check Valve (Pump Discharge)	19	Diesel Drive Exhaust
5	Indicating Gate Valve or Butterfly Valve (Discharge Control Valve)	20	Diesel Fuel Tank
6	The test pipe	21	Oil collector
7	Automatic Air Release	22	Jockey Pump
8	Indicating Gate Valve or Butterfly Valve (Test Header)	23	Jockey Pump pipe
9	Flow Meter	24	Check Valve (Jockey Pump Discharge)
10	Test Header	25	Isolation Valve (Jockey Pump Discharge)
11	Pump	26	Isolation Valve (Jockey Pump Suction)
12	Suction Pressure Gauge	27	Pressure Sensing Line (Jockey Pump)
13	Discharge Pressure Gauge	28	Pressure Sensing Line (Fire Pump)
14	Automatic Air Release	29	Check Valve (Jockey Pump Pressure Sensing Line)
15	Diesel Engine	30	Fire Pump Controller
		31	Pressure Maintenance Pump Controller (Jockey Pump)
		32	Common base

PUMPING WATER PUMPING HONOR

